



Find the unknown side lengths.

Example 4:




Example 5:



THE PYTHAGOREAN THEOREM


$$a^2 + b^2 = c^2$$



Cut this piece off

VOCABULARY

Cut this piece off




Example 6:


Bobby leans a 15-ft ladder against his house. The base of the ladder is placed 4 feet from the base of the house. How far up the house does the ladder reach?

Find the unknown side lengths.

Example 1:



Example 2:



Example 3:

Jane and Zachary start walking at the same point, but Zachary walks 5 feet north while Jane walks 75 feet east. How far apart are Jane and Zachary when they stop?

Cut this piece off

SOLVING FOR A OR B

Cut this piece off

SOLVING FOR C

Cut this piece off


Answer Key!

THE PYTHAGOREAN THEOREM

Cut this piece off


Find the unknown side lengths.

Example 4:



$$\begin{aligned} a^2 + b^2 &= c^2 \\ a^2 + 3^2 &= 7^2 \\ a^2 + 9 &= 49 \\ a^2 &= 40 \\ \sqrt{a^2} &= \sqrt{40} \\ a &= \sqrt{40} \\ a &= \sqrt{4} \cdot \sqrt{10} \\ a &= 2\sqrt{10} \end{aligned}$$


Example 5:



$$\begin{aligned} a^2 + b^2 &= c^2 \\ 7^2 + b^2 &= 25^2 \\ 49 + b^2 &= 625 \\ b^2 &= 576 \\ \sqrt{b^2} &= \sqrt{576} \\ b &= 24 \end{aligned}$$

$$a^2 + b^2 = c^2$$

$$\begin{aligned} 3^2 + 4^2 &= 5^2 \\ 9 + 16 &= 25 \\ 25 &= 25 \end{aligned}$$



VOCABULARY


Cut this piece off

Hypotenuse

- *longest side
- *the side opposite the right angle
- *"c"

Legs

*the two sides that form the right angle
"a" and "b"



Example 6:


Bobby leans a 15-ft ladder against his house. The base of the ladder is placed 4 feet from the base of the house. How far up the house does the ladder reach?

$$\begin{aligned}a^2 + b^2 &= c^2 \\4^2 + b^2 &= 15^2 \\16 + b^2 &= 225 \\b^2 &= 209 \\\sqrt{b^2} &= \sqrt{209} \\b &= 14.46 \text{ ft}\end{aligned}$$




Find the unknown side lengths.

Example 1:



$$\begin{aligned}a^2 + b^2 &= c^2 \\5^2 + 12^2 &= c^2 \\25 + 144 &= c^2 \\169 &= c^2 \\\sqrt{169} &= \sqrt{c^2} \\13 &= c\end{aligned}$$

Example 2:




$$\begin{aligned}a^2 + b^2 &= c^2 \\8^2 + 8^2 &= c^2 \\64 + 64 &= c^2 \\128 &= c^2 \\\sqrt{128} &= \sqrt{c^2} \\\sqrt{128} &= c \\\sqrt{64} \cdot \sqrt{2} &= c \\8\sqrt{2} &= c\end{aligned}$$

Example 3:

Jane and Zachary start walking at the same point, but Zachary walks 5 feet north while Jane walks 7 feet east. How far apart are Jane and Zachary when they stop?

$$\begin{aligned}a^2 + b^2 &= c^2 \\5^2 + 7^2 &= c^2 \\25 + 49 &= c^2 \\74 &= c^2 \\\sqrt{74} &= \sqrt{c^2} \\8.6 &= c\end{aligned}$$



Cut this piece off

SOLVING FOR A OR B

Cut this piece off

SOLVING FOR C

Cut this piece off

© Lisa Davenport 2013

Directions:

Step 1: Print pages 1 & 2 front to back (flip pages on long edge) so that the text faces in opposite directions.

Step 2: Cut the page in half (along the dotted line).

Step 3: Take the half page that has the title "The Pythagorean Theorem and place that on top of the half page with example 5 on it.

Step 4: Fold in half & secure with staples.

Step 5: Create the tabs at the bottom by cutting off the extra pieces.